

RENTAL PRODUCT SPECIFICATION

Portable Air Compressors



DENYO DIS 685



DENYO DIS 685**ENGINE :**

Make & Model	Isuzu DD4BG1T
Type	4 Cycled Water Cooled Direct Injection,Turbo Charged
No of Cylinder	6
Piston Displacement	4392 CC
Rated Output	110 PS – 80.9 KW/2400 RPM
Fuel	ASTM No.2 Diesel Fuel or Equivalent
Fuel Consumption	19 L/h(50Hz)
Lube Oil Sump Capacity	23.4 L/h(60Hz)
Coolant Capacity	25.5 L
Battery x Quantity	40.3 L
Fuel Tank Capacity	NX 120- 7 12 V x 2 180Ltr

TYPE

Type	Rotary Twin Screw,Single Stage, Oil Cooled
Free Air Delivery	685 cfm
Operating Pressure	102 psig/7 bar
Receiver Tank Capacity	0.098 m3
Air Outlets	50 A (2 “) x1 pc 20 A (¾”) x 4 pc
Dimensions (LxWxH)	3800 x 1600 x 2035 MM
Dry Weight	G
SOUND LEVEL	7m dB (A) 68



We Treasure Each & Every Customer

Who Supported Us

Throughout The Years

Our Company Is Committed

To Provide Excellent After Sales Service

To Our Valued Customers

