

RENTAL PRODUCT SPECIFICATION

Diesel Engine Generating Sets



DENYO DCA 300 SPK3



DENYO DCA 300 SPK3

ENGINE :	
Make & Model	Komatsu S6D125E-2-A
Type	4 Cycled Water Cooled
	Direct Injection,Turbo Charged
No of Cylinder	4
Piston Displacement	11040
Rated Output	270/300 kva
Fuel	ASTM No.2 Diesel Fuel or Equivalent
Fuel Consumption	43 L/h(50Hz) 50 L/h(60Hz)
Lube Oil Sump Capacity	62 L
Coolant Capacity	37 L
Battery x Quantity	NX 120- 7 12 V x 2
Fuel Tank Capacity	380Ltr

ALTERNATOR	
Frequency	50 Hz/60 Hz
Output Rating	270 kva/300 kva
No of Phases	3 phase 4 wire
Power Voltage	0.8 (Lagging)

UNIT	
Dimensions (LxWxH)	3750 x 1400 x 1800MM
Dry Weight	4160 KG
SOUND LEVEL	68DbA/71DbA

We Treasure Each & Every Customer

Who Supported Us

Throughout The Years

Our Company Is Committed

To Provide Excellent After Sales Service

To Our Valued Customers

