

RENTAL PRODUCT SPECIFICATION

Diesel Engine Generating Sets



Denyo DCA 60 ESH



DCA 60 ESH

ENGINE	
Make & Model	Hino W04D-TG
Type	Direct Injected, Turbocharged
Output Rating	50Hz PS/rpm : 703/768 kW/min ⁻¹ : 517/565
No. of Cylinder-Bore x Stroke	4-170x180
Piston Displacement	24.5
Fuel	ASTM No.2 Diesel Fuel or Equivalent
Fuel Consumption	8.8L/h(50Hz) - 10.6L/h(60Hz)
Engine oil/ coolant	16.5 L / 12.2 L
Battery x Quantity	80D26Rx 2
Fuel Tank Capacity	125Ltr

ALTERNATOR

Frequency	50 Hz / 60 Hz
Continuous Output Rating	50Kva / 60 Kva
Standby Output Rating	55/66 kva
No.of Phases	3-phase, 4-wire
Rated Voltage*1	Dual Voltage
	0.8(Lagging)
	Within ± 0.5
Power Factor	Brushless, Rotating Exciter (with A.V.R)
Voltage Regulation	Class F

UNIT

Dimensions (LxWxH)	2050mmx x 880x1250mm
Dry Weight	1240 kg
SOUND LEVEL	7m dB (A) 1500/1800 rpm (min-1)
	61(50Hz), 64(60Hz)



We Treasure Each & Every Customer

Who Supported Us

Throughout The Years

Our Company Is Committed

To Provide Excellent After Sales Service

To Our Valued Customers

