

RENTAL PRODUCT SPECIFICATION

Diesel Engine Generating Sets



Denyo DCA 100 ES



DCA 100 ESH

ENGINE	
Make & Model	Isuzu DD6BGT
Type	Inlined, Direct Injected
Output Rating	50Hz: PS/rpm : 80/1500 kW/min-1 : 113/1500
No. of Cylinder-Bore x Stroke	60Hz: PS/rpm : 183/1800 kW/min-1 : 135/1800
Piston Displacement	6-130 x 150 mm
Fuel	11945L
Fuel Consumption	ASTM No.2 Diesel Fuel or Equivalent
Engine oil/ coolant	12 L/h(50Hz)
Battery x Quantity	17.3 L/h(60Hz)
Fuel Tank Capacity	



ALTERNATOR	
Frequency	50/60 Hz
Continuous Output Rating	80/100 KVA
Standby Output Rating	80/105 KVA
No.of Phases	3-phase, 4-wire
Rated Voltage*1	Dual Voltage
	0.8(Lagging)
	Within ± 0.5
Power Factor	Brushless, Rotating Exciter (with A.V.R)
Voltage Regulation	Class F
UNIT	
Dimensions (LxWxH)	2750x1050x1350
Dry Weight	1730kg
SOUND LEVEL	7m dB (A) 1500/1800 rpm (min-1)
	69(50Hz), 73(60Hz)

We Treasure Each & Every Customer

Who Supported Us

Throughout The Years

Our Company Is Committed

To Provide Excellent After Sales Service

To Our Valued Customers

